EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:00
S2	5	"5,751,052"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:01
S3	5	"5,818,281"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:01
S4	0	"10759690"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:06
S5	1	"10/759,690"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:06
S6	6	"6,630,805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:09
S7	6	"6,759,835"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:09

S8	13	"3,970,869"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:10
S9	6	"3,727,148"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:10
S10	22	"4,365,171"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/21 17:11
S11	1	10/759,690	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 12:08
S12	1771	current with rate with protect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 12:53
S13	129	(over adj current or overcurrent or over-current)same current with rate with protect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 12:54
S14	129	(over adj current or overcurrent or over-current) same current with rate with protect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 12:54
S15	52	(over adj current or overcurrent or over-current) same current near3 rate with protect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:00

S16	44	(over adj current or overcurrent or over-current) same current near2 rate with protect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:01
S17	6	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:33
S18	1	10/759,690	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:51
S19	4	capacitor with transistor and (over adj current or overcurrent or over-current) same current near2 rate with protect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:58
S20	0	capacitor with (over adj current or overcurrent or over-current) same current near2 rate with protect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:59
S21	2	capacitor same (over adj current or overcurrent or over-current) same current near2 rate with protect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 13:59
S22	3	("5111373" | "5177677" | "5187652").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/07 14:11
S23	13	("5654882").URPN.	USPAT	OR	OFF	2008/07/07 14:13
S24	13	("5654882").URPN.	USPAT	OR	OFF	2008/07/07 14:14
S25	4	inverter with capacitor with (over adj current over-current oevrcurrent) with protect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 15:37

S26	25	inverter with capacitor same(over adj current over-current oevrcurrent) with protect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 15:41
S27	474	(over adj current over-current oevrcurrent) with protect$3 with transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:13
S28	351	(over adj current over-current oevrcurrent) near3 protect$3 with transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:13
S29	121	(over adj current over-current oevrcurrent) near3 protect$3 near3 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14
S30	105	(over adj current over-current oevrcurrent) near2 protect$3 near3 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14
S31	74	(over adj current over-current oevrcurrent) near2 protect$3 near2 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14
S32	64	(over adj current over-current oevrcurrent) near protect$3 near2 transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14
S33	40	(over adj current over-current oevrcurrent) near protect$3 near transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:14

S34	2	(over adj current over-current oevrcurrent) near3 protect$3 near3 transistor same rate with (current voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:15
S35	2	(over adj current over-current ovevrcurrent) near3 protect$3 near3 transistor same rate with (current voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:15
S36	1	(over adj current over-current ovevrcurrent) near3 detect$3 with RC with transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:19
S37	1	(over adj current over-current ovevrcurrent) near3 detect$3 same RC with transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:20
S38	14	(over adj current over-current ovevrcurrent) near3 detect$3 same RC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 16:20
S39	6	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 17:12
S40	5	"5,751,052"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 17:14
S41	10	"3202319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 20:49

S42	6	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 21:00
S43	5974	inverter with transistor with capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 21:39
S44	4	inverter with transistor with capacitor with (over adj current over-current overcurrent) with protect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 21:39
S45	10	"3202319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 11:25
S46	7	"2831495"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 11:48
S47	6	"3,727,148"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 14:48
S48	5	"5,818,281"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 15:50
S49	72	"5,210,519"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 20:38

S50	8	"3,056,037"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 20:40
S51	8	"4,823,096"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/08 20:44
S52	0	coil with self adj resonance with communication near2 band	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 09:50
S53	283	coil with self adj resonance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 09:50
S54	26	coil with self adj resonance with band	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 09:51
S55	14	coil with low with self adj resonance same band	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:12
S56	38	communication and coil with gauge with low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:35
S57	0	communication and coil with gauge with low same surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:35

S58	0	communication and coil with gauge with low and surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:36
S59	38	communication and coil with gauge with low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:36
S60	7	communication and coil with gauge near3 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:36
S61	27	coil with gauge near3 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:37
S62	1	coil with gauge near3 low same surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:37
S63	0	coil with gauge near3 low same over adj current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:38
S64	37	communication and coil same gauge near3 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:39
S65	23	communication and coil same gauge near2 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:40

S66	4	communication and coil same wire with gauge near2 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:41
S67	19	coil same wire with gauge near2 low	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:42
S68	0	coil same wire with gauge near2 low and surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:43
S69	0	coil same wire with gauge near2 low and over adj current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:43
S70	0	coil same wire with gauge near2 low and over adj voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:43
S71	407	coil same wire with gauge near2 (low heavy small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:44
S72	186	coil same wire with gauge near2 (low small)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:44
S73	4	coil same wire with gauge near2 small and surge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:45

S74	22	coil same wire with gauge near2 small with current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:47
S75	15	"4,675,579"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 10:58
S76	1	"57181237"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:02
S77	0	"570181237"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:03
S78	0	"057181237"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:03
S79	9002	power near line with communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:13
S80	243835	power near line with communication ans current near transformer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:14
S81	358	power near line with communication and current near transformer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:14

S82	13	power near line with communication and current near transformer and (spark near gap or gas near tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:16
S83	75	current near transformer with (spark near gap or gas near tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:27
S84	23	"4,347,540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:33
S85	6	(spark near gap or gas near tube) with compar $4 with (varistor mov)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:41
S86	0	(spark near gap or gas near tube) with "vs" with (varistor mov)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:48
S87	0	(spark near gap or gas near tube) with equvalen$2 with (varistor mov)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:48
S88	1	(spark near gap or gas near tube) with equivalen$2 with (varistor mov)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 11:56
S89	24	fuse with (coil chock solenoid) with resonance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 12:42

S90	714	fuse with capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 12:46
S91	17	fuse with stray near capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 12:46
S92	68	fuse with parasitic near capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 12:49
S93	272	fuse with resistance with range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:13
S94	69	fuse with resistance near range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:14
S95	20	fuse near2 resistance near range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:14
S96	1	11/500,259	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:18
S97	289	switch near3 parallel with (reliability or MTBF or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:53

S98	289	switch near3 parallel with (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:53
S99	49	switch near3 parallel near3 (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:53
S100	33	switch near2 parallel near3 (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 13:54
S101	20	("3201701" | "3226569" | "3543048" | "3593307" | "3795823" | "3798556" | "3806714" | "3840753" | "3859513" | "4054803" | "4105900" | "4125055" | "4154395" | "4185210" | "4185245" | "4519025" | "4525635").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/09 14:00
S102	301	switch with redundan $2 near3 (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 14:07
S103	131	switch near2 redundan $2 near3 (reliability or failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 14:08
S104	3	"11334607"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 14:23

S105	105	current near transformer with series near capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:33
S106	0	current near transformer with series near capacitor with chock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:34
S107	0	current near transformer with series near capacitor same chock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:35
S108	0	current near transformer with series near capacitor and chock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:35
S109	105	current near transformer with series near capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:35
S110	5	current near transformer with series near capacitor and communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:36
S111	25	current near transformer with (second secondary) near3 series near capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:37
S112	23	"4,347,540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 16:53

S113	31	"6,965,302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 17:03
S114	11	"6,785,110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 20:56
S115	1	11/500,259	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/09 21:00
S116	8	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 11:54
S117	1	10/759,690	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:07
S118	54	"4,580,090"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:17
S119	13	"6,452,766"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:18
S120	5	10/458,608	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:19

S121	37	("2810105" | "3068392" | "3373344" | "3460023" | "3581187" | "4001668" | "4430608" | "4521725" | "4553082" | "4580090" | "4685046" | "4733159" | "4864482" | "5105144" | "5307257" | "5469046" | "5500575" | "5646514" | "5652825" | "5773965" | "5801933" | "5818708" | "5920183" | "6061259" | "6275395" | "6320363" | "6346778" | "6452766" | "6573693" | "6667604" | "6724157" | "6828733" | "6906477").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/13 12:19
S122	6	("5764041" | "5831466" | "5900724" | "6184669" | "6218816" | "6265856").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/13 12:23
S123	0	capacitive near load with transistor with "dv/dt"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:25
S124	0	capacit$3 near load with transistor with "dv/dt"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:25
S125	1	capacit$3 near load same transistor with "dv/dt"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:25
S126	10	capacit$3 near load same transistor same "dv/dt"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:26

S127	3	capacit$3 near load same transistor and "dv/dt" with (switch$3 turn$3) adj off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:53
S128	13	capacit$3 near load same transistor and "dv/dt" same (switch $3 turn$3) adj off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 12:55
S129	0	04-017513	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:02
S130	3	"04017513"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:02
S131	796	capacitive near load and (rate adj change or "dv/dt")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:27
S132	23	capacitive near load with rate adj change	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:27
S133	4	capacitive near load with rate adj change and (disconnect or switch adj off or interrupt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:28
S134	4	capacitive near load with over adj current near protect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:32

S135	52	capacitive near load same rate near change	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:34
S136	1	capacitive near load same rate near change and over adj current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:35
S137	41774	capacitive near load same rate near change and over adj current or overcurrent or over-current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:35
S138	3	capacitive near load same rate near change and (over adj current or overcurrent or over-current)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:35
S139	1821	rate near change and (over adj current or overcurrent or over-current)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:37
S140	224	rate near change same (over adj current or overcurrent or over-current)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:37
S141	5	rate near change same (over adj current or overcurrent or over-current) and capacit$3 near load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:37
S142	126	rate near change same (over adj current or overcurrent or over-current) and (switch$3 adj off or interrupt$3 or turn$3 adj off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:45

S143	2	rate near change same (over adj current or overcurrent or over-current) and (switch$3 adj off or interrupt$3 or turn$3 adj off) and (capacitor capacitive) near load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 13:45
S144	8	"6,285,235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 14:27
S145	95	rate near change with capacit$3 with (disconnect$3 or (switch$3 turn$3) adj off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 14:37
S146	37	rate near change with capacit$3 with (disconnect$3 or (switch$3 turn$3) adj off) same transistor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/13 14:38
S147	10	"3202319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 15:47
S148	7	"2831495"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 15:58
S149	955	361/93.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 16:37
S150	7	"5,988,977"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 20:25

S151	19	"5,998,977"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 20:25
S152	122	327/381.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 10:28
S153	259	257/175.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 11:58
S154	3	((dv/dt or rate near change) and capacitor and (sens$3 detect$3) and compar$3 and (over adj current over-current overcurrent)).clm.	US-PGPUB	OR	OFF	2009/01/22 12:36

1/22/2009 12:40:22 PM
C:\ Documents and Settings\ zkitov\ My Documents\ EAST\ Workspaces\ 10,759,690.wsp